

Simulation of Muon-Induced Neutrons for the Neutron Multiplicity Meter in the Soudan Cavern




Melinda Sweany

Lawrence Livermore National Laboratory




June 28, 2012

Muons from MUSIC/MUSUN

- ▶ 60 million muon tracks generated on cube
- ▶ +x direction = NORTH
- ▶ +y direction = WEST
- ▶ +z direction = UP



Muons from MUSIC/MUSUN



Implementation into NMDSim

- ▶ Geant4.9.5.p01 with Shielding physics list (and patch)
- ▶ NMM Detector simulation has +x as WEST, symmetric in y (+NORTH)→ exchange x,y coordinates
- ▶ NMM offset in detector coordinate system (x,y,z) = (5.94,1.98,1.81) meters
- ▶ Muon propagate through 4 meters of Soudan Rock
- ▶ Save particle tracks as they pass through rock/cavern boundary inward only

Material	Percentage (%)
SiO ₂	51.0
Al ₂ O ₃	15.0
CaO	9.0
FeO	8.6
MgO	6.5
H ₂ O	2.7
Fe ₂ O ₃	2.6
Na ₂ O	2.5
TiO ₂	1.1
K ₂ O	0.4
CO ₂	0.3
MnO	0.2
P ₂ O ₅	0.1

K.Ruddick, *MINOS Internal Note*, NuMI-L-210 (1996)







Muons/Neutrons Crossing into Cavern

- ▶ Muon passing through top sheet
 - ▶ $z > 5499$
 - ▶ $\text{PDG} = \pm 13$
- ▶ Neutron passing through top sheet
 - ▶ $z > 5499$
 - ▶ $\text{PDG} = 2112$
 - ▶ $\text{TID} \neq \text{lastTID}$
 - ▶ $\text{PID} \neq \text{lastTID}$
 - ▶ Same effect as “killing” neutron track at rock/cavern boundary
 - ▶ $\text{EID} = \text{lastEID} \rightarrow$ increment multiplicity
- ▶ Simulation time $t = \frac{N}{A\mathcal{F}_V}$
 - ▶ N is the total number of muons crossing top sheet
 - ▶ A is the area of the top sheet, $32 \times 14.5 \text{ m}^2$
 - ▶ $\mathcal{F}_V$ is the flux through a horizontal sheet at Soudan, $(2.0 \pm 0.2) \times 10^{-7} \text{ cm}^{-2} \text{ s}^{-1}$


K.Ruddick, *MINOS Internal Note*, NuMI-L-210 (1996)

R.Nelson, *B.S. Dissertation*, University of California at Santa Barbara (2003)

Muons Crossing into Cavern - 120 days



Muon Vertical/Horizontal Flux



$$\mathcal{F}_V = 2.0 \times 10^{-7} \text{ cm}^{-2} \text{ s}^{-1}$$





$$\mathcal{F}_H = 4.1 \times 10^{-8} \text{ cm}^{-2} \text{ s}^{-1}$$

$$\frac{\mathcal{F}_H}{\mathcal{F}_V} = 0.21$$

$$\frac{\mathcal{F}_H}{\mathcal{F}_V} = \frac{\alpha+2}{4\sqrt{\pi}} \frac{\Gamma(\frac{\alpha}{2}+\frac{1}{2})}{\Gamma(\frac{\alpha}{2}+2)}$$

$$\alpha = 3 \rightarrow \frac{\mathcal{F}_H}{\mathcal{F}_V} = \frac{2}{3\pi} = 0.21$$

Neutrons Crossing into Cavern - 120 days



Neutron Flux Ratios

$$\mathcal{F}_V(T) = 7.401 \times 10^{-9} \text{cm}^{-2} \text{s}^{-1}$$

$$\mathcal{F}_V(B) = 7.042 \times 10^{-9} \text{cm}^{-2} \text{s}^{-1}$$

$$\mathcal{F}_H(W) = 6.658 \times 10^{-9} \text{cm}^{-2} \text{s}^{-1}$$

$$\mathcal{F}_H(E) = 6.749 \times 10^{-9} \text{cm}^{-2} \text{s}^{-1}$$

$$\mathcal{F}_H(N) = 6.6848 \times 10^{-9} \text{cm}^{-2} \text{s}^{-1}$$

$$\mathcal{F}_H(S) = 6.506 \times 10^{-9} \text{cm}^{-2} \text{s}^{-1}$$

$$\frac{\mathcal{F}_H}{\mathcal{F}_V} \sim 1$$

$$\frac{\mathcal{F}_H}{\mathcal{F}_V} = \frac{\alpha+2}{4\sqrt{\pi}} \frac{\Gamma(\frac{\alpha}{2}+\frac{1}{2})}{\Gamma(\frac{\alpha}{2}+2)}$$

$$\alpha = 0 \rightarrow \frac{\mathcal{F}_H}{\mathcal{F}_V} = \frac{2}{3\pi} = 0.5$$

Neutrons Flux as a Function of Energy

Wall	Total	>100 keV	>1 MeV	>10 MeV	>100 MeV
Top	7.401	2.179	2.179	1.603	0.7609
Bottom	7.042	2.516	1.935	0.6188	0.1107
East	6.749	3.105	2.559	1.173	0.4042
West	6.658	2.962	2.419	1.048	0.3473
North	6.684	2.962	2.415	1.056	0.3522
South	6.506	2.914	2.392	1.034	0.3418
All	41.04	16.64	13.90	6.533	2.317
M&H	N/A	16.9	5.84	4.73	1.073